MAXINOL

The Premium Choice For Peak Performance.

PRODUCT CATALOGUE

www.maxinol.com

WHY CHOOSE
MAXINOL LUBRICANTS

Unparalleled Quality:
Our Lubricants are crafted using the finest base oils and advanced additives, providing superior protection against wear, friction, and thermal breakdown. Trust in our products to keep your engine running smoothly and efficiently.

Engine Performance:
With MAXINOL LUBRICANTS , experience enhanced engine performance and power. Our formulations optimize engine cleanliness, reduce deposits, and improve fuel economy, ensuring peak performance on every drive.

Extended Engine Life:
Our Lubricants are engineered to safeguard your engine against harmful contaminants and minimize wear. By reducing friction and maintaining proper lubrication, MAXINOL LUBRICANTS motor oils contribute to the longevity of your engine.

Versatility:
Whether you own a car, SUV, motorcycle, or operate heavy-duty machinery, we have a diverse range of motor oil products to cater to your specific needs. Trust MAXINOL LUBRICANTS to provide the right oil for every application.



MAXINOL

ENGINEERED FOR ENDURANCE

GASOLINE ENGINE OIL

GASOLINE ENGINE OIL

SAE: 0W20 API SN — FULLY SYNTHETIC

MAXINOL 0W-20 SN is a premium FULLY SYNTHETIC engine oil formulated to meet the latest API SN performance standards for modern gasoline engines. Blended with high-quality base oils and advanced additive technology, it provides exceptional wear protection, deposit control, and sludge resistance. Its excellent thermal and oxidation stability ensures consistent performance and extended oil life, even under high-temperature and stop-and-go driving conditions. Offering superior cold-start protection, it ensures rapid lubrication at low temperatures while maintaining strong film strength at high temperatures. 0W-20 SN is ideal for passenger cars, SUVs, and light trucks requiring API SN specifications, delivering smooth, efficient, and long-lasting engine performance.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

GASOLINE ENGINE OIL

SAE: 5W20 API SN — FULLY SYNTHETIC

MAXINOL 5W-20 SN is a premium FULLY SYNTHETIC engine oil formulated to meet the latest API SN performance standards for modern gasoline engines. Blended with high-quality base oils and advanced additive technology, it provides exceptional wear protection, deposit control, and sludge resistance. Its excellent thermal and oxidation stability ensures consistent performance and extended oil life, even under high-temperature and stop-and-go driving conditions. Offering superior cold-start protection, it ensures rapid lubrication at low temperatures while maintaining strong film strength at high temperatures. 5W-20 SN is ideal for passenger cars, SUVs, and light trucks requiring API SN specifications, delivering smooth, efficient, and long-lasting engine performance.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

GASOLINE ENGINE OIL

SAE: 5W30 API SN — FULLY SYNTHETIC

MAXINOL 5W-30 SN is a premium FULLY SYNTHETIC engine oil formulated to meet the latest API SN performance standards for modern gasoline engines. Blended with high-quality base oils and advanced additive technology, it provides exceptional wear protection, deposit control, and sludge resistance. Its excellent thermal and oxidation stability ensures consistent performance and extended oil life, even under high-temperature and stop-and-go driving conditions. Offering superior cold-start protection, it ensures rapid lubrication at low temperatures while maintaining strong film strength at high temperatures. 5W-20 SN is ideal for passenger cars, SUVs, and light trucks requiring API SN specifications, delivering smooth, efficient, and long-lasting engine performance.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

GASOLINE ENGINE OIL
SAE: 5W40 API SN — FULLY SYNTHETIC

MAXINOL 5W-40 SN is a premium FULLY SYNTHETIC engine oil formulated to meet the latest API SN performance standards for modern gasoline engines. Blended with high-quality base oils and advanced additive technology, it provides exceptional wear protection, deposit control, and sludge resistance. Its excellent thermal and oxidation stability ensures consistent performance and extended oil life, even under high-temperature and stop-and-go driving conditions. Offering superior cold-start protection, it ensures rapid lubrication at low temperatures while maintaining strong film strength at high temperatures. 5W-20 SN is ideal for passenger cars, SUVs, and light trucks requiring API SN specifications, delivering smooth, efficient, and long-lasting engine performance.

GERMAN FORMULATION | 100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

GASOLINE ENGINE OIL
SAE: 10W30 API SL — SEMI SYNTHETIC

MAXINOL 10W-30 SL is a premium SEMI SYNTHETIC engine oil engineered to meet API SN performance standards for modern gasoline engines. Blended with high-quality base oils and advanced additive technology, it delivers excellent wear protection, sludge prevention, and deposit control. Its superior thermal and oxidation stability ensures consistent performance and extended oil life, even under demanding driving conditions. Offering reliable cold-start protection and strong film strength at high temperatures, it helps maintain engine efficiency and longevity. 10W-30 SL is ideal for passenger cars, SUVs, and light trucks requiring API SN specifications, providing smooth, dependable, and long-lasting engine performance.

GERMAN FORMULATION | 100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

GASOLINE ENGINE OIL
SAE: 10W40 API SL — SEMI SYNTHETIC

MAXINOL 10W-40 SL is a premium SEMI SYNTHETIC engine oil engineered to meet API SN performance standards for modern gasoline engines. Blended with high-quality base oils and advanced additive technology, it delivers excellent wear protection, sludge prevention, and deposit control. Its superior thermal and oxidation stability ensures consistent performance and extended oil life, even under demanding driving conditions. Offering reliable cold-start protection and strong film strength at high temperatures, it helps maintain engine efficiency and longevity. 10W-30 SL is ideal for passenger cars, SUVs, and light trucks requiring API SN specifications, providing smooth, dependable, and long-lasting engine performance.

GERMAN FORMULATION | 100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

GASOLINE ENGINE OIL
SAE: 20W50 API SL

MAXINOL 20W-50 SL is a premium gasoline engine oil formulated with high-quality base oils and advanced additives to deliver reliable performance in a wide range of driving conditions. Its higher viscosity grade ensures strong film strength, providing superior protection against wear and minimizing oil consumption in high-temperature operations. The formulation effectively controls deposits and sludge, keeping the engine clean and running smoothly. Ideal for gasoline engines requiring SL performance levels, MAXINOL 20W-50 SL offers dependable lubrication, extended engine life, and consistent performance for both everyday driving and demanding conditions.

GERMAN FORMULATION | 100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

MAXINOL

ENGINEERED FOR ENDURANCE

HEAVY DUTY DIESEL ENGINE OIL

DIESEL ENGINE OIL

SAE: 15W40 API CK-4 TURBO

MAXINOL 15W-40 CK-4 is a premium heavy-duty engine oil developed to meet the latest requirements of modern diesel engines, including those equipped with EGR, DPF, and SCR emission control systems. Blended with high-quality base oils and next-generation additive technology, it ensures exceptional wear protection, soot control, and oxidation resistance. Its advanced thermal stability delivers consistent lubrication under severe operating conditions, high loads, and extended service intervals. The formulation helps maintain engine cleanliness, minimize sludge formation, and optimize fuel efficiency. Suitable for both on-highway and off-highway applications, MAXINOL 15W-40 CK-4 provides reliable performance for fleets demanding durability, reduced downtime, and long engine life.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

DIESEL ENGINE OIL
SAE: 15W40 API CI-4 TURBO

MAXINOL 15W-40 CI-4 is a high-performance heavy-duty engine oil engineered for diesel engines operating under tough conditions. Formulated with premium base stocks and advanced additive chemistry, it provides excellent wear protection, soot handling, and oxidation stability. Its reliable thermal resistance ensures consistent lubrication under high temperatures and heavy loads, while keeping engines clean and efficient. Designed to meet the needs of both on-road and off-road applications, MAXINOL 15W-40 CI-4 supports engines equipped with EGR systems and helps extend service life. It is the perfect solution for fleets seeking dependable performance, durability, and reduced maintenance downtime.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

DIESEL ENGINE OIL
SAE: 20W50 API CI-4/SL TURBO

MAXINOL 20W-50 CI-4/SL is a robust multi-grade engine oil formulated for both diesel and gasoline engines operating in demanding conditions. Produced with premium quality base oils and advanced additive technology, it delivers strong protection against wear, deposits, and oxidation. Its higher viscosity provides an extra layer of defense under high temperatures and heavy loads, ensuring reliable lubrication and extended engine life. The formulation helps maintain cleanliness, efficiency, and stability even in severe operating environments. Suitable for mixed fleets, including engines with EGR systems, MAXINOL 20W-50 CI-4/SL offers dependable performance in both on-road and off-road applications, making it an ideal choice for operators seeking durability and long-lasting protection.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

DIESEL ENGINE OIL
SAE: 15W40 API CI-4 TURBO

MAXINOL 15W-40 CI-4 is a high-performance heavy-duty engine oil engineered for diesel engines operating under tough conditions. Formulated with premium base stocks and advanced additive chemistry, it provides excellent wear protection, soot handling, and oxidation stability. Its reliable thermal resistance ensures consistent lubrication under high temperatures and heavy loads, while keeping engines clean and efficient. Designed to meet the needs of both on-road and off-road applications, MAXINOL 15W-40 CI-4 supports engines equipped with EGR systems and helps extend service life. It is the perfect solution for fleets seeking dependable performance, durability, and reduced maintenance downtime.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

MAXINOL

ENGINEERED FOR ENDURANCE

RACING PERFORMANCE

4T ENGINE OIL

SAE: 10W40 API SN JASO MA2

MAXINOL 4T 10W-40 is a high-performance FULLY SYNTHETIC 4- Stroke engine oil formulated specifically to meet the needs of modern motorcycle engines. It is primarily for on-road, high-performance, 4-cycle sport bikes, however, it may be used in other types of on and off-road 4-Stroke motorcycles. It is formulated to help offer outstanding protection in 4-cycle, V-Twin type engines, particularly those which are air cooled and tend to run hotter than other types of engines.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

4T ENGINE OIL

SAE: 20W50 API SL JASO MA2

MAXINOL 4T 20W-50 is a high-performance SEMI SYNTHETIC 4- Stroke engine oil formulated specifically to meet the needs of modern motorcycle engines. It is primarily for on-road, high-performance, 4-cycle sport bikes, however, it may be used in other types of on and off-road 4-Stroke motorcycles. It is formulated to help offer outstanding protection in 4-cycle, V-Twin type engines, particularly those which are air cooled and tend to run hotter than other types of engines.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

MAXINOL

ENGINEERED FOR ENDURANCE

SMOOTH TRANSMISSION

AUTOMATIC TRANSMISSION FLUID
ATF TYPE T-IV

MAXINOL ATF TYPE T-IV is a high-performance synthetic automatic transmission fluid formulated for modern vehicles. It ensures smooth, reliable shifting and excellent friction stability under all driving conditions. Enhanced with advanced additives, it provides superior wear protection and anti-foaming properties. Outstanding thermal and oxidative stability extends fluid life and transmission performance. Compatible with a wide range of automatic transmissions requiring Dexron IV specifications. Ideal for both passenger and commercial vehicles seeking long-lasting, dependable operation.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

AUTOMATIC TRANSMISSION FLUID
ATF DEXRON III

MAXINOL DEXRON III is a fully synthetic automatic transmission fluid formulated with premium, severely hydro processed base stocks and additives that helps provide oxidation and thermal stability, friction control, load carrying ability, corrosion and wear protection. It helps protect against the formation of deposits, sludge, varnish, foam and provide outstanding durability.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

AUTOMATIC TRANSMISSION FLUID
ATF DEXRON II

MAXINOL ATF Dexron II is a premium-quality automatic transmission fluid designed for older generation transmissions. It delivers smooth, consistent shifting and reliable performance under varied driving conditions. Formulated with refined base oils and balanced additives, it offers excellent wear protection, oxidation resistance, and anti-foaming properties. Its superior thermal stability helps extend fluid life and maintain transmission efficiency. Suitable for a range of automatic transmissions, power steering systems, and certain hydraulic applications requiring Dexron II specifications, it ensures dependable, long-lasting operation for both passenger and commercial vehicles.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

AUTOMATIC TRANSMISSION FLUID
ATF TYPE-A

MAXINOL ATF TYPE-A is a multi-purpose transmission fluid, designed for use in automatic gearboxes, where GM Type A Suffix A is quoted. Its special formula enables very smooth operation of torque converters and fluid couplings of automatic transmissions. is suitable for use in automatic transmissions of passenger cars and light duty trucks as well as in other power shift transmissions.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS



CONTINUOUSLY VARIABLE TRANSMISSION FLUID
CVT FLUID

MAXINOL Continuously Variable Automatic Transmissions (CVT) which transfer traction via steel-made traction chains or belts. is specifically formulated for today's technologically sophisticated variable transmissions. It is formulated with premium synthetic base stocks, long-life friction modifiers, special anti-wear additives, and shear stable viscosity modifiers. It provides extended component life and long drain intervals withou compromising quaity and performance for lond life duration.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

MAXINOL

ENGINEERED FOR ENDURANCE

SMOOTH TRANSMISSION

GEAR OIL
SAE: 75W90 API GL-5

MAXINOL 75W-90 GEAR OIL is an extra high performance synthetic automotive gear lubricant specially developed for use in modern high-performance passenger cars, sports utility vehicles, vans and light-duty trucks with limited slip differentials. It is manufactured from premium quality base oils and advanced performance additives to provide exceptional protection against thermal degradation.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

GEAR OIL
SAE: 85W140 API GL-5

MAXINOL GEAR OIL 85W140 Multi-grade Heavy Duty Gear oil, formulated with the multiple additives and blended using latest technology; provides superior lubrication for gearboxes and axle. Suitable for multi-purpose transmission oil for synchronized and non- synchronized transmission and for axle. Transmission, transfer case, intermediate gear boxes, ancillary transmission applications. It can be used in all weather conditions.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

GEAR OIL
SAE: 80W90 API GL-5

MAXINOL 80W-90 GEAR OIL is an extra high performance automotive gear lubricant specially developed for use in modern high-performance passenger cars, sports utility vehicles, vans and light-duty trucks with limited slip differentials. It is manufactured from premium quality base oils and advanced performance additives to provide exceptional protection against thermal degradation.

GERMAN FORMULATION
100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

GEAR OIL
SAE: 140 API GL-4

MAXINOL 140 Gear Oil is a HEAVY DUTY gear oil lubricant formulated for use in a wide range of automotive, plant, agricultural and industrial transmission systems. This grade has a high level of extreme pressure (EP) additive that provides effective gear protection over a range of temperatures and shock load conditions. Gear oil 140 will also protect components from rust and corrosion.

GERMAN FORMULATION
100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS



GEAR OIL
SAE: 90 API GL-4

MAXINOL 90 Gear Oil is a HEAVY DUTY gear oil lubricant formulated for use in a wide range of automotive, plant, agricultural and industrial transmission systems. This grade has a high level of extreme pressure (EP) additive that provides effective gear protection over a range of temperatures and shock load conditions. Gear oil 90 will also protect components from rust and corrosion.

GERMAN FORMULATION
100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

MAXINOL

ENGINEERED FOR ENDURANCE

HEAVY DUTY PERFORMANCE

HYDRAULIC OIL
AW-10

MAXINOL HYDRAULIC OIL AW-10 is a high-quality anti-wear hydraulic fluid formulated to deliver reliable performance in a wide range of hydraulic systems. Blended with premium base oils and advanced additive technology, it provides excellent protection against wear, rust, and corrosion. Its outstanding oxidation stability ensures longer fluid life and consistent performance, even under high-pressure and high-temperature conditions. Designed for smooth and efficient operation, it minimizes foaming and maintains optimal lubrication in pumps, valves, and other hydraulic components. Suitable for industrial, agricultural, and mobile equipment requiring AW-10 specifications, it ensures dependable and long-lasting service

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

HYDRAULIC OIL
ISO-68

MAXINOL hydraulic oil 68 manufactured from high quality base oils combined with anti-wear additives and rust inhibitors, to provide highly stable premium hydraulic fluids with a quality reserve for excellent performance under a severe operating condition in automotive and industrial applications. Blended with high quality additives to improve corrosion protection.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

HYDRAULIC OIL
ISO-46

MAXINOL hydraulic oil 46 manufactured from high quality base oils combined with anti-wear additives and rust inhibitors, to provide highly stable premium hydraulic fluids with a quality reserve for excellent performance under a severe operating condition in automotive and industrial applications. Blended with high quality additives to improve corrosion protection.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

HYDRAULIC OIL
ISO-32

MAXINOL hydraulic oil 32 manufactured from high quality base oils combined with anti-wear additives and rust inhibitors, to provide highly stable premium hydraulic fluids with a quality reserve for excellent performance under a severe operating condition in automotive and industrial applications. Blended with high quality additives to improve corrosion protection.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

MAXINOL

ENGINEERED FOR ENDURANCE

SMOOTH BRAKING

BRAKE FLUID
DOT-4

MAXINOL BRAKE FLUID DOT 4 is a high-quality brake fluid formulated to meet the performance requirements of DOT 4 specifications. It provides reliable and consistent braking performance across a wide range of temperatures, offering excellent protection against vapor lock, corrosion, and brake system wear. Suitable for use in disc, drum, and ABS brake systems of passenger cars and light commercial vehicles, it ensures safe and responsive braking under both normal and demanding driving conditions.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

BRAKE FLUID
DOT-3

MAXINOL BRAKE FLUID DOT 3 is a high-quality brake fluid formulated to meet the performance requirements of DOT 3 specifications. It provides reliable and consistent braking performance across a wide range of temperatures, offering excellent protection against vapor lock, corrosion, and brake system wear. Suitable for use in disc, drum, and ABS brake systems of passenger cars and light commercial vehicles, it ensures safe and responsive braking under both normal and demanding driving conditions.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

AVAILABLE PACKS

MAXINOL

ENGINEERED FOR ENDURANCE

HEAVY DUTY PERFORMANCE

HEAVY DUTY GREASE
CALCIUM MP-3

MAXINOL Multi-Purpose Calcium Grease MP3 is engineered with precision to meet the demands of various machinery and equipment, making it a versatile solution for your lubrication needs. Formulated with a calcium-based thickener, our grease boasts exceptional water resistance, providing a protective shield against corrosion. Its resilience to different temperatures and loads makes it the ideal choice for automotive, industrial, and household applications alike.

GERMAN FORMULATION

AVAILABLE PACKS

250MG 500 MG 15 KG 208 KG

HEAVY DUTY GREASE
LITHIUM MP-3

MAXINOL Lithium Grease MP-3 is a high-performance, multi-purpose lubricant designed to deliver reliable protection and smooth operation across a wide range of mechanical applications. Formulated with a lithium-based thickener, it offers excellent thermal stability, mechanical shear resistance, and water repellency, making it suitable for use in automotive chassis, wheel bearings, industrial machinery, and general-purpose lubrication.

GERMAN FORMULATION

AVAILABLE PACKS

250MG 500 MG 15 KG 208 KG

MAXINOL

The Premium Choice For Peak Performance.

GERMAN FORMULATION

100% VIRGIN OIL QUALITY GUARANTEED

MAXINOL LUBRICANTS
Dubai, U.A.E
info@maxinol.com
00971 50 155 2007